

SB-540 EVERSEAL TAPE

Page Number: 1/3
Version Number: 1
Revision Date: 10/29/12

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: SB-540 EVERSEAL TAPE

Company Name: SUREBOND
3925 Stern Avenue
St. Charles, IL 60174
Phone: (877) 843-1818

Emergency Phone (24 hour): (800) 424-9300

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview:

Odor, Color, Grade: Solventless rubber resin adhesive
General Physical Form: Solid
Immediate Health, Physical and Environmental Hazards: None known

Effects of Exposure:

Eyes: Foreign body - irritation
Skin: No significant health effect is expected.
Inhalation: No significant health effect is expected.
Ingestion: No significant health effect is expected.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Percent by Weight	TCLP
Paper Release Liner	None	10-15%	N
Rubber Resin	Trade Secret	85-90%	N

SECTION 4 - FIRST AID MEASURES

Eyes: Flush eye with water. Seek medical assistance for removal of foreign bodies from the eye.
Skin: No need for first aid is anticipated.
Inhalation: No need for first aid is anticipated.
Ingestion: No need for first aid is anticipated.

SECTION 5 - FIRE FIGHTING MEASURES

Flammability Class: NA
Flash Point: NA

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: NA

SECTION 7 - HANDLING AND STORAGE

Handling: This product does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.
Storage: Store in a cool, dry area.

SB-540 EVERSEAL TAPE

Page Number: 2/3
Version Number: 1
Revision Date: 10/29/12

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls:	NA
Personal Protective Equipment (PPE):	NA
Eye/Face Protection:	Avoid eye contact, use of eye protection is good practice.
Skin Protection:	Avoid prolonged skin contact. Gloves are not required.
Respiratory Protection:	None required, however adequate ventilation is good practice.
Prevention of Swallowing:	Not an expected route of exposure
Exposure Guidelines:	None Established

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade:	Adhesive coated polystyrene with paper liner		
General Physical Form:	Solid		
Autoignition Temperature:	NA	pH	NA
Flash Point:	NA	Melting Point:	NA
Flammable Limits LEL:	NA	Solubility in Water:	Insoluble
Flammable Limits UEL:	NA	Evaporation Rate:	NA
Boiling Point:	NA	Volatile Organic Compounds:	0%
Vapor Density:	NA	Percent Volatile:	NA
Vapor Pressure:	NA	VOC Less H₂O & Exempt Solvent:	NA
Specific Gravity:	0.98 g/cm ³	Viscosity:	NA

SECTION 10 - STABILITY AND REACTIVE

Stability:	Stable
Materials and Conditions to Avoid:	None identified
Hazardous Polymerization:	Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION OR BY-PRODUCT

SUBSTANCE:	CONDITION:
Hydrocarbons	During Combustion
Carbon Monoxide	During Combustion
Carbon Dioxide	During Combustion

SECTION 11 - TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicological Information:	Not Determined
Chemical Fate Information:	Not Determined

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal must be in accordance with applicable federal, state, or local regulations. Determine waste classification at time of disposal. Conditions of use may render the spent product as hazardous waste. Under normal conditions of use, this product is classified as a non-hazardous material.

SECTION 14 - TRANSPORT INFORMATION

Not regulated per U.S. DOT, RTA or MO

SB-540 EVERSEAL TAPE

SECTION 15 - REGULATORY INFORMATION

Page Number: 3/3
Version Number: 1
Revision Date: 10/29/12

US Federal Regulations

311/312 Hazard Categories:

Fire Hazard	No
Pressure Hazard:	No
Reactivity:	No
Respiratory Protection:	No
Immediate Hazard:	No
Delayed Hazard:	No

State Regulations Contact Specialty Tapes for more information.

Chemical Inventories This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

International Regulations Contact Specialty Tapes for more information.

This MSDS has been prepared to meet the U.S. Osha Hazard Communication Standard, 29 CF Standard, 29 CFR 1910.1200.

CLASSIFICATION

Health: 0 **Flammability:** 1 **Reactivity:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are design for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition that are known to be generated in significant quantities.