

SB - 540 EVERSEAL TAPE

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Page Number: 1/3
Revision Date: 7/3/2014

Product Name: SB-540 EVERSEAL TAPE

Company Name: SUREBOND
3925 Stern Avenue
St. Charles, IL 60174
Phone: (877) 843-1818

Emergency Phone (24 hour): CHEMTREC
(800) 424-9300

Chemtrec (outside USA): (703) 527-3887

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview:

Odor, Color, Grade: Solventless rubber resin adhesive
General Physical Form: Solid
Immediate Health, Physical and Environmental Hazards: None known

Effects of Exposure:

Eyes: Foreign body - irritation
Skin: No significant health effect is expected.
Inhalation: No significant health effect is expected.
Ingestion: No significant health effect is expected.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Percent by Weight	TCLP
Paper Release Liner	None	10 - 15%	N
Rubber Resin	Trade Secret	85 - 90%	N

SECTION 4 - FIRST AID MEASURES

Eyes: Flush eye with water. Seek medical assistance for removal of foreign bodies from the eye.

Skin: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

Ingestion: No need for first aid is anticipated.

SECTION 5 - FIRE FIGHTING MEASURES

Flammability Class: NA

Flash Point: NA

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: NA

SB - 540 EVERSEAL TAPE

SECTION 7 - HANDLING AND STORAGE

Page Number: 2/3
Revision Date: 7/3/2014

Handling: This product does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

Storage: Store in a cool, dry area.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: NA

Personal Protective Equipment (PPE): NA

Eye/Face Protection: Avoid eye contact, use of eye protection is good practice.

Skin Protection: Avoid prolonged skin contact. Gloves are not required.

Respiratory Protection: None required, however adequate ventilation is good practice.

Prevention of Swallowing: Not an expected route of exposure

Exposure Guidelines: None Established

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade:	Adhesive coated polystyrene with paper liner
General Physical Form:	Solid
Autoignition Temperature:	NA
Flash Point:	NA
Flammable Limits LEL:	NA
Flammable Limits UEL:	NA
Boiling Point:	NA
Vapor Density:	NA
Vapor Pressure:	NA
Specific Gravity:	0.98 g/cm ³
pH:	NA
Melting Point:	NA
Solubility in Water:	Insoluble
Evaporation Rate:	NA
Volatile Organic Compounds:	0%
Percent Volatile:	NA
VOC Less H₂O & Exempt Solvent:	NA
Viscosity:	NA

SECTION 10 - STABILITY AND REACTIVE

Stability:	Stable
Materials and Conditions to Avoid:	None identified
Hazardous Polymerization:	Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION OR BY-PRODUCT

SUBSTANCE:	CONDITION:
Hydrocarbons	During Combustion
Carbon Monoxide	During Combustion
Carbon Dioxide	During Combustion

SB - 540 EVERSEAL TAPE

SECTION 11 - TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

Page Number: 3/3
Revision Date: 7/3/2014

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicological Information: Not Determined
Chemical Fate Information: Not Determined

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal must be in accordance with applicable federal, state, or local regulations. Determine waste classification at time of disposal. Conditions of use may render the spent product as hazardous waste. Under normal conditions of use, this product is classified as a non-hazardous material.

SECTION 14 - TRANSPORT INFORMATION

Not regulated per U.S. DOT, RTA or MO

SECTION 15 - REGULATORY INFORMATION

US Federal Regulations

311/312 Hazard Categories:

Fire Hazard:	No	Respiratory Protection:	No
Pressure Hazard:	No	Immediate Hazard:	No
Reactivity:	No	Delayed Hazard:	No

State Regulations: Contact Surebond for more information.

Chemical Inventories: This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

International Regulations: Contact Surebond for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CF Standard, 29 CFR 1910.1200.

CLASSIFICATION

Health: 0 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are design for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition that are known to be generated in significant quantities.

SECTION 16 - OTHER INFORMATION

DISCLAIMER: The information contained herein is based on data available as of the date of preparation of this MSDS and which we believe to be reliable. However, no warranty is expressed or implied regarding the accuracy of the data. We shall not be responsible for the use of this information, or of any product, method or apparatus mentioned. User must make his/her own investigation to determine the suitability of the information or products for his/her particular purpose, for the protection of the environment and the health and safety of the users of this material.

Abbreviations: N/A = Not Applicable
 N/D = Not Determined
 N/Est = Not Established